

Author Index

Antonelli, M.C., see Defagot, M.C. (45) 1 Araujo, F., see Gutiérrez, A. (45) 59 Armstrong, J.N., see Plumier, J.-C.L. (45) 239

Babity, J.M., see Plumier, J.-C.L. (45) 239 Barretto, R.L., see Drescher, M.J. (45) 325 Baudry, M., see Sun, N. (45) 353 Beisel, K.W., see Drescher, M.J. (45) 325 Berod, A., see Garcion, E. (45) 255 Berry, D., see Garrett, K.M. (45) 133 Black, J.A., see Felts, P.A. (45) 71 Blanchard, C., see Lesort, M. (45) 127 Bleck, V.G., see Mascia, M.P. (45) 169 Böckers, T.M., see Kreutz, M.R. (45) 283 Brachet, P., see Garcion, E. (45) 255 Brady, J., see Malik, K.F. (45) 99 Brinton, R.D., see Yamazaki, R.S. (45) 138 Brown, I.R., see Foster, J.A. (45) 207 Bruce, A.J., see Sun, N. (45) 353 Busquets, X., Ventayol, P. and García-Sevilla, J.A. Naloxone-precipitated withdrawal in morphine-dependent rats increases the expression of α_{2a} -adrenoceptor mRNA in brain (45) 154

Cao, A., see Murru, S. (45) 345
Castelli, M.P., Melis, M., Mameli, M., Fadda, P., Diaz, G. and Gessa, G.L.
Chronic morphine and naltrexone fail to modify μ-opioid receptor mRNA levels in the rat brain (45) 149

Chan, R.M., Stewart, M.J. and Crabb, D.W. A direct repeat (DR-1) element in the first exon modulates transcription of the preproenkephalin A gene (45) 50

Chang, C.-P., Dworetzky, S.I., Wang, J. and Goldstein, M.E.
Differential expression of the α and β subunits of the large-conductance calciumactivated potassium channel: implication for channel diversity (45) 33

Chen, Q., see Yamazaki, R.S. (45) 138 Chihara, J., see Urayama, O. (45) 331 Ciavarra, R.P., see Tedeschi, B. (45) 199 Crabb, D.W., see Chan, R.M. (45) 50 Currie, R.W., see Plumier, J.-C.L. (45) 239

Darcy, F., see Garcion, E. (45) 255
De Blas, A.L., see Gutiérrez, A. (45) 59
Defagot, M.C., Malchiodi, E.L., Villar, M.J.
and Antonelli, M.C.
Distribution of D4 dopamine receptor in

rat brain with sequence-specific antibodies (45) 1

DeMarco, S.J., see Zacharias, D.A. (45) 173
Diaz, G., see Castelli, M.P. (45) 149
Dib-Hajj, S., see Felts, P.A. (45) 71
Drescher, A.J., see Drescher, M.J. (45) 325
Drescher, D.G., see Drescher, M.J. (45) 325
Drescher, M.J., Khan, K.M., Beisel, K.W.,
Karadaghy, A.A., Hatfield, J.S., Kim, S.Y.,
Drescher, A.J., Lasak, J.M., Barretto, R.L.,
Shakir, A.H. and Drescher, D.G.
Expression of adenylyl cyclase type I in
cochlear inner hair cells (45) 325
Dworetzky, S.I., see Chang, C.-P. (45) 33

Emson, P.C., see Xu, W. (45) 41 Esclaire, F., see Lesort, M. (45) 127

Fadda, P., see Castelli, M.P. (45) 149
Fekete, M.I.K., see Horváth, E.J. (45) 141
Felts, P.A., Yokoyama, S., Dib-Hajj, S., Black, J.A. and Waxman, S.G.
Sodium channel α-subunit mRNAs I, II, III, NaG, Na6 and hNE (PN1): different expression patterns in developing rat nervous system (45) 71

Fink, G., see McQueen, J.K. (45) 13
Fluharty, S.J., see Yee, D.K. (45) 108
Foster, J.A. and Brown, I.R.
Differential induction of heat shock mRNA in oligodendrocytes, microglia, and astrocytes following hyperthermia (45) 207
Freeman, W.M., see Xu, Y. (45) 159

Gan, J., see Garrett, K.M. (45) 133
Gao, Y., He, J.R. and Kapcala, L.P.
Estrogen inhibits hypothalamic pro-opiomelanocortin gene expression in hypothalamic neuronal cultures (45) 340

Garcia, M.L., Murray, K.D., Garcia, V.B.,
Strehler, E.E. and Isackson, P.J.
Seizure-induced alterations of plasma membrane calcium ATPase isoforms 1, 2 and 3 mRNA and protein in rat hippocampus (45) 230

García-Sevilla, J.A., see Busquets, X. (45) 154 Garcia, V.B., see Garcia, M.L. (45) 230 Garcion, E., Nataf, S., Berod, A., Darcy, F. and

Brachet, P. 1,25-Dihydroxyvitamin D₃ inhibits the expression of inducible nitric oxide synthase in rat central nervous system during experi-

mental allergic encephalomyelitis (45) 255

Garrett, K.M., Haque, D., Berry, D., Niekrasz, I., Gan, J., Rotter, A. and Seale, T.W. The GABA_A receptor α_6 subunit gene (*Gabra6*) is tightly linked to the α_1 - γ_2 subunit cluster on mouse chromosome 11 (45) 133

Gehle, V.M., Walcott, E.C., Nishizaki, T. and Sumikawa, K.
N-Glycosylation at the conserved sites ensures the expression of properly folded functional ACh receptors (45) 219
Gessa, G., see Murru, S. (45) 345

Gessa, G.L., see Castelli, M.P. (45) 149 Goldman, D., see Nielsen, D.A. (45) 145 Goldstein, M.E., see Chang, C.-P. (45) 33 Grossman, A.B., see Mancuso, C. (45) 294

Gutiérrez, A., Khan, Z.U., Miralles, C.P.,
Mehta, A.K., Ruano, D., Araujo, F., Vitorica, J. and De Blas, A.L.
GABA_A receptor subunit expression changes in the rat cerebellum and cerebral cortex during aging (45) 59

Hamilton, T.C., see Plumier, J.-C.L. (45) 239
Haque, D., see Garrett, K.M. (45) 133
Hara, Y., see Urayama, O. (45) 331
Harris, R.A., see Mascia, M.P. (45) 169
Hatfield, J.S., see Drescher, M.J. (45) 325
Hayes, V.Y., Towner, M.D. and Isackson, P.J.
Organization, sequence and functional analysis of a mouse BDNF promoter (45) 189
He, J.R., see Gao, Y. (45) 340
He, P., see Yee, D.K. (45) 108
Hellweg, R., Humpel, C., Löwe, A. and
Hörtnagl, H.

Moderate lesion of the rat cholinergic septohippocampal pathway increases hippocampal nerve growth factor synthesis: evidence for long-term compensatory changes? (45) 177

Hines, J., see Yee, D.K. (45) 108
Hörtnagl, H., see Hellweg, R. (45) 177
Horváth, E.J., Fekete, M.I.K. and Palkovits, M.
Changes in specific binding sites of girisopam after chemical and surgical lesions in the striato-nigral system (45) 141
Hugon, J., see Lesort, M. (45) 127
Hülser, E., see Kreutz, M.R. (45) 283

Hugon, J., see Lesort, M. (45) 127 Hülser, E., see Kreutz, M.R. (45) 283 Humpel, C., see Hellweg, R. (45) 177 Hunter, A.J., see Plumier, J.-C.L. (45) 239

Ichikawa, T., see Ikeda, K. (45) 117 Ikawa, Y., see Urayama, O. (45) 331 Ikeda, K., Kobayashi, K., Kobayashi, T.,
Ichikawa, T., Kumanishi, T., Kishida, H.,
Yano, R. and Manabe, T.
Functional coupling of the nociceptin/
orphanin FQ receptor with the G-proteinactivated K⁺ (GIRK) channel (45) 117

Ikeuchi, Y., Nishizaki, T., Matsuoka, T. and Sumikawa, K.

Long-lasting enhancement of ACh receptor currents by lysophospholipids (45) 317 Isackson, P.J., see Garcia, M.L. (45) 230 Isackson, P.J., see Hayes, V.Y. (45) 189

Jaffe, H., see Malik, K.F. (45) 99 Jefferson, K.K., see Nielsen, D.A. (45) 145 Jenkins, G.L., see Nielsen, D.A. (45) 145 Jope, R.S., see Unlap, M.T. (45) 83

Ishii, T., see Tohdoh, N. (45) 24

Kapcala, L.P., see Gao, Y. (45) 340 Karadaghy, A.A., see Drescher, M.J. (45) 325 Khan, K.M., see Drescher, M.J. (45) 325 Khan, Z.U., see Gutiérrez, A. (45) 59 Kim, S.Y., see Drescher, M.J. (45) 325 Kimura, M., see Tohdoh, N. (45) 24 Kishida, H., see Ikeda, K. (45) 117 Kobayashi, K., see Ikeda, K. (45) 117 Kobayashi, T., see Ikeda, K. (45) 117 Kondo, H., see Utsunomiya, A. (45) 349 Kreutz, M.R., Böckers, T.M., Sabel, B.A., Stricker, R., Hülser, E. and Reiser, G. Localization of a 42-kDa inositol 1,3,4,5-tetrakisphosphate receptor protein in retina and change in expression after optic nerve injury (45) 283

Kubota, M., see Urayama, O. (45) 331 Kumanishi, T., see Ikeda, K. (45) 117 Kumer, S.C., see Xu, Y. (45) 159

Lasak, J.M., see Drescher, M.J. (45) 325
Lesort, M., Blanchard, C., Yardin, C., Esclaire, F. and Hugon, J.
Cultured neurons expressing phosphorylated tau are more resistant to apoptosis induced by NMDA or serum deprivation (45) 127
Lindefors, N., see Marcus, M.M. (45) 275
Liu, L., see Xu, W. (45) 41
Löwe, A., see Hellweg, R. (45) 177

Malchiodi, E.L., see Defagot, M.C. (45) 1
Malik, K.F., Jaffe, H., Brady, J. and Young III,
W.S.
The class III POU factor Brn-4 interacts
with other class III POU factors and the
heterogeneous nuclear ribonucleoprotein U

Malmerfelt, A., see Marcus, M.M. (45) 275
Mameli, M., see Castelli, M.P. (45) 149
Manabe, T., see Ikeda, K. (45) 117
Mancuso, C., Pistritto, G., Tringali, G., Grossman, A.B., Preziosi, P. and Navarra, P.
Evidence that carbon monoxide stimulates prostaglandin endoperoxide synthase activity in rat hypothalamic explants and in pri-

Marcus, M.M., Nomikos, G.G., Malmerfelt, A., Zachrisson, O., Lindefors, N. and Svensson, T.H.

(45) 294

mary cultures of rat hypothalamic astrocytes

Effect of chronic antipsychotic drug treatment on preprosomatostatin and preprotachykinin A mRNA levels in the medial prefrontal cortex, the nucleus accumbens and the caudate putamen of the rat (45) 275

Mascia, M.P., Bleck, V.G. and Harris, R.A. Glycine receptors from long-sleep and short-sleep mice: genetic differences in drug sensitivity (45) 169

Mash, D.C., see Segal, D.M. (45) 335
Matsuoka, T., see Ikeuchi, Y. (45) 317
Matus-Leibovitch, N., Nevo, I. and Vogel, Z.
Differential distribution of synapsin IIa and
IIb mRNAs in various brain structures and
the effect of chronic morphine administration on the regional expression of these

McGonnigal, B., see Padbury, J.F. (45) 163
McQueen, J.K., Wilson, H. and Fink, G.
Estradiol-17β increases serotonin transporter (SERT) mRNA levels and the density of SERT-binding sites in female rat brain (45) 13

isoforms (45) 301

Mehta, A.K., see Gutiérrez, A. (45) 59
Melis, M., see Castelli, M.P. (45) 149
Miralles, C.P., see Gutiérrez, A. (45) 59
Mizuno, K., see Mori, T. (45) 247
Mizuno, M., see Nishimura, M. (45) 268
Mooslehner, K., see Xu, W. (45) 41
Moraes, C.T., see Segal, D.M. (45) 335
Mori, T., Okano, I., Mizuno, K., Tohyama, M. and Wanaka, A.
Comparison of tissue distribution of two novel serine/threonine kinase genes con-

taining the LIM motif (LIMK-1 and LIMK-2) in the developing rat (45) 247

Murakoshi, T., see Urayama, O. (45) 331

Murray, K.D., see Garcia, M.L. (45) 230

Murru, S., Pani, L., Poddie, D., Gessa, G., Cao, A. and Pirastu, M.

Rat tyrosine hydroxylase gene polymor-

phisms (45) 345

Nakashima, S., see Yoshimura, S.-i. (45) 90
Nataf, S., see Garcion, E. (45) 255
Navarra, P., see Mancuso, C. (45) 294
Nevo, I., see Matus-Leibovitch, N. (45) 301
Niekrasz, I., see Garrett, K.M. (45) 133
Nielsen, D.A., Jenkins, G.L., Stefanisko, K.M.,
Jefferson, K.K. and Goldman, D.
Sequence, splice site and population frequency distribution analyses of the polymorphic human tryptophan hydroxylase intron 7 (45) 145

Nishimura, M., Sato, K., Mizuno, M., Yoshiya, I., Shimada, S., Saito, N. and Tohyama, M. Differential expression patterns of GABA transporters (GAT1-3) in the rat olfactory bulb (45) 268

Nishizaki, T., see Gehle, V.M. (45) 219 Nishizaki, T., see Ikeuchi, Y. (45) 317 Noble, J., see Yau, J.L.W. (45) 182 Nomikos, G.G., see Marcus, M.M. (45) 275 Nozawa, Y., see Yoshimura, S.-i. (45) 90

Ojika, K., see Tohdoh, N. (45) 24 Okano, I., see Mori, T. (45) 247 Owada, Y., see Utsunomiya, A. (45) 349

Padbury, J.F., Tseng, Y.-T., McGonnigal, B., Penado, K., Stephan, M. and Rudnick, G. Placental biogenic amine transporters: cloning and expression (45) 163 Palkovits, M., see Horváth, E.J. (45) 141 Pani, L., see Murru, S. (45) 345 Penado, K., see Padbury, J.F. (45) 163 Pirastu, M., see Murru, S. (45) 345 Pistritto, G., see Mancuso, C. (45) 294 Plumier, J.-C.L., Armstrong, J.N., Wood, N.I., Babity, J.M., Hamilton, T.C., Hunter, A.J., Robertson, H.A. and Currie, R.W. Differential expression of c-fos, Hsp70 and Hsp27 after photothrombotic injury in the rat brain (45) 239 Poddie, D., see Murru, S. (45) 345 Preziosi, P., see Mancuso, C. (45) 294

Reagan, L.P., see Yee, D.K. (45) 108 Reiser, G., see Kreutz, M.R. (45) 283 Robertson, H.A., see Plumier, J.-C.L. (45) 239 Rotter, A., see Garrett, K.M. (45) 133 Ruano, D., see Gutiérrez, A. (45) 59 Rudnick, G., see Padbury, J.F. (45) 163

Sabel, B.A., see Kreutz, M.R. (45) 283 Saito, N., see Nishimura, M. (45) 268 Sakai, H., see Yoshimura, S.-i. (45) 90 Sakai, N., see Yoshimura, S.-i. (45) 90 Sato, K., see Nishimura, M. (45) 268 Schreiber, S.S., see Sun, N. (45) 353 Schreiber, S.S., see Yamazaki, R.S. (45) 138 Seale, T.W., see Garrett, K.M. (45) 133 Seckl, J.R., see Yau, J.L.W. (45) 182 Segal, D.M., Moraes, C.T. and Mash, D.C. Up-regulation of D₃ dopamine receptor mRNA in the nucleus accumbens of human cocaine fatalities (45) 335 Shakir, A.H., see Drescher, M.J. (45) 325 Shimada, S., see Nishimura, M. (45) 268 Shinoda, J., see Yoshimura, S.-i. (45) 90 Siemens, I.R., see Yee, D.K. (45) 108 Sinacola, M.K., see Wiechmann, A.F. (45) 321 Stefanisko, K.M., see Nielsen, D.A. (45) 145 Stephan, M., see Padbury, J.F. (45) 163 Stewart, M.J., see Chan, R.M. (45) 50 Stokes, A.H., see Xu, Y. (45) 159 Strehler, E.E., see Garcia, M.L. (45) 230 Strehler, E.E., see Zacharias, D.A. (45) 173 Stricker, R., see Kreutz, M.R. (45) 283 Sumikawa, K., see Gehle, V.M. (45) 219 Sumikawa, K., see Ikeuchi, Y. (45) 317 Sun, N., Bruce, A.J., Baudry, M. and Schreiber, S.S. Isolation of the gene encoding lamp-1, a lysosomal membrane protein, by differential screening in an animal model of status epilepticus (45) 353 Svensson, T.H., see Marcus, M.M. (45) 275

Tedeschi, B. and Ciavarra, R.P.

Differential effects of axotomy on the in vivo synthesis of the stress-inducible and constitutive 70-kDa heat-shock proteins in rat dorsal root ganglia (45) 199

Tohdoh, N., Tojo, S., Kimura, M., Ishii, T. and Ojika, K.

Mechanism of expression of the rat HCNP

precursor protein gene (45) 24

Tohyama, M., see Mori, T. (45) 247 Tohyama, M., see Nishimura, M. (45) 268 Tojo, S., see Tohdoh, N. (45) 24 Towner, M.D., see Hayes, V.Y. (45) 189 Tringali, G., see Mancuso, C. (45) 294 Tseng, Y.-T., see Padbury, J.F. (45) 163

Unlap, M.T. and Jope, R.S.

Dexamethasone attenuates NF-κB DNA
binding activity without inducing IκB levels in rat brain in vivo (45) 83

Urayama, O., Murakoshi, T., Kubota, M., Hara, Y., Chihara, J. and Ikawa, Y. Coincident induction of K rev-1/rap 1A, rap 1B and H-ras mRNAs in the rat spinal cord by noxious stimulation (45) 331

Utsunomiya, A., Owada, Y., Yoshimoto, T. and Kondo, H.
Localization of gene expression for phosphatidylinositol transfer protein in the brain of developing and mature rats (45) 349

Ventayol, P., see Busquets, X. (45) 154 Villar, M.J., see Defagot, M.C. (45) 1 Vitorica, J., see Gutiérrez, A. (45) 59 Vogel, Z., see Matus-Leibovitch, N. (45) 301 Vogt, B.A., see Xu, Y. (45) 159 Vrana, K.E., see Xu, Y. (45) 159

Walcott, E.C., see Gehle, V.M. (45) 219 Wanaka, A., see Mori, T. (45) 247 Wang, J., see Chang, C.-P. (45) 33
Waxman, S.G., see Felts, P.A. (45) 71
Widdowson, J., see Yau, J.L.W. (45) 182
Wiechmann, A.F. and Sinacola, M.K.
Diurnal expression of recoverin in the rat retina (45) 321
Wilson, H., see McQueen, J.K. (45) 13

Xu, W., Liu, L., Mooslehner, K. and Emson, P.C.

Wood, N.I., see Plumier, J.-C.L. (45) 239

Structural organization of the human vesicular monoamine transporter type-2 gene and promoter analysis using the jelly fish green fluorescent protein as a reporter (45) 41

Xu, Y., Stokes, A.H., Freeman, W.M., Kumer, S.C., Vogt, B.A. and Vrana, K.E. Tyrosinase mRNA is expressed in human substantia nigra (45) 159

Yamada, H., see Yoshimura, S.-i. (45) 90
Yamazaki, R.S., Chen, Q., Schreiber, S.S. and Brinton, R.D.
Localization of V1a vasopressin receptor mRNA expression in cultured neurons, astroglia, and oligodendroglia of rat cerebral cortex (45) 138

Yang, X.-D., see Yee, D.K. (45) 108 Yano, R., see Ikeda, K. (45) 117 Yardin, C., see Lesort, M. (45) 127 Yau, J.L.W., Noble, J., Widdowson, J. and Seckl, J.R.

Impact of adrenalectomy on 5-HT₆ and 5-HT₇ receptor gene expression in the rat hippocampus (45) 182

Yee, D.K., He, P., Yang, X.-D., Reagan, L.P., Hines, J., Siemens, I.R. and Fluharty, S.J. Cloning and expression of angiotensin II type 2 (AT₂) receptors from murine neuroblastoma N1E-115 cells: evidence for AT₂ receptor heterogeneity (45) 108

Yokoyama, S., see Felts, P.A. (45) 71 Yoshimoto, T., see Utsunomiya, A. (45) 349

Yoshimura, S.-i., Sakai, H., Nakashima, S., Nozawa, Y., Shinoda, J., Sakai, N. and Yamada, H.

Differential expression of Rho family GTPbinding proteins and protein kinase C isozymes during C6 glial cell differentiation (45) 90

Yoshiya, I., see Nishimura, M. (45) 268 Young III, W.S., see Malik, K.F. (45) 99

Zacharias, D.A., DeMarco, S.J. and Strehler, E.E.

mRNA expression of the four isoforms of the human plasma membrane Ca²⁺-ATPase in the human hippocampus (45) 173

Zachrisson, O., see Marcus, M.M. (45) 275